

Standard Carports 12' - 24'

RATED FOR HIGH SNOW LOAD APPLICATIONS - CO, KS, NM

VERTICAL ROOF



			vernang o	iii uii siues
12x20	18x20	20x20	22x20	24x20
\$3,100	\$3,640	\$3,910	\$4,180	\$4,450
12x25	18x25	20x25	22x25	24x25
\$3,775	\$4,450	\$4,720	\$4,990	\$5,260
12x30	18x30	20x30	22x30	24x30
\$4,450	\$5,260	\$5,530	\$5,800	\$6,205
12x35	18x35	20x35	22x35	24x35
\$4,855	\$5,800	\$6,205	\$6,610	\$7,690
12x40	18x40	20x40	22x40	24x40
\$5,530	\$6,610	\$7,285	\$7,960	\$8,635
12x45	18x45	20x45	22x45	24x45
\$6,205	\$7,825	\$8,500	\$9,175	\$9,850
12x50	18x50	20x50	22x50	24x50
\$6,610	\$8,500	\$9,175	\$9,850	\$10,525

Sizes above includes standard 6' legs (eave height).

BOXED EAVE ROOF



12-20	1020	2020	2220	2420
12x20	18x20	20x20	22x20	24x20
\$2,290	\$2,830	\$3,100	\$3,370	\$3,640
12x25	18x25	20x25	22x25	24x25
\$2,765	\$3,440	\$3,710	\$3,980	\$4,250
12x30	18x30	20x30	22x30	24x30
\$3,370	\$4,045	\$4,315	\$4,585	\$4,855
12x35	18x35	20x35	22x35	24x35
\$3,980	\$4,655	\$4,925	\$5,195	\$5,465

Sizes above includes standard 6' legs (eave height).

REGULAR ROOF



12x20	18x20	20x20	22x20	24x20		
\$2,155	\$2,695	\$2,965	\$3,235	\$3,505		
12x25	18x25	20x25	22x25	24x25		
\$2,560	\$3,235	\$3,505	\$3,775	\$4,045		
12x30	18x30	20x30	22x30	24x30		
\$3,100	\$3,775	\$4,045	\$4,315	\$4,585		
12x35	18x35	20x35	22x35	24x35		
\$3,640	\$4,315	\$4,650	\$4,990	\$5,325		

Sizes above includes standard 6' legs (eave height).

Pricing shown is for Risk Category I/Wind Exposure B. Please call for Risk Category II/Wind Exposure C options.

STANDARD FEATURES Rated for 65PSF-105MPH (3 second austs, not sustained)

Standard carport features include the following: 12 gauge galvanized steel framing, 29 gauge metal roofing with 20 year Beckers paint system, framing spaced 4' on center or less. Includes both peak and leg braces for additional strength and stability. Concrete Anchors or Rebar Anchors, and Earth Auger Anchors are included in base price. Eagle Carports, Inc. is not responsible for stopping, or repairing leaks under base rails. Base leg height is 6' tall. Please note: Eagle Carports, Inc. does not provide site work.



- Price does not include site preparation.

- All cement pads must have turn down footers.

- Lot must be cleared and leveled prior to installation.

Follow this link to



W/PURCHASE OF GABLE END OR CLOSED END

INSTALLATION INCLUDED **ON YOUR LEVEL LOT - Restrictions apply** **90 DAY WORKMANSHIP** WARRANTY

FINANCING & RTO AVAILABLE

ELLICH M	OUNT CONCRETE	. KIT)'L 25'I	L 30′L	35′L	40′ L	45′ L	50′ L
FLO3H N	IOUNI CONCRETE	\$2	200 \$220	\$240	\$260	\$280	\$300	\$320
	Flush mount kits al	llow cement p	ads to be the exac	t width and leng	th of the building	g without requi	iring a 2″ perim	
	HEIGHT	20′ L	25′ L	30′L	35′L	40′ L	45′ L	50′ L
	7′	\$110	\$135	\$165	\$190	\$215	\$245	\$270
五	8′	\$220	\$270	\$330	\$380	\$430	\$490	\$540
	9′	\$330	\$405	\$495	\$570	\$645	\$735	\$810
董	10′	\$440	\$540	\$660	\$760	\$860	\$980	\$1,080
5	11′	\$550	\$675	\$825	\$950	\$1,075	\$1,225	\$1,350
EAVE HEIGHT	12′	\$660	\$810	\$990	\$1,140	\$1,290	\$1,470	\$1,620
	13′	\$1,015	\$1,215	\$1,350	\$1,620	\$1,825	\$1,890	\$2,130
	14′	\$1,080	\$1,300	\$1,515	\$1,730	\$1,945	\$2,160	\$2,375
	HEIGHT	20′L	25′L	30′ L	35′L	40′ L	45′L	50′ L
ES	6′	\$670	\$820	\$970	\$1,120	\$1,270	\$1,420	\$1,570
	7′	\$930	\$1,110	\$1,290	\$1,470	\$1,650	\$1,830	\$2,010
CLOSE BOTH SID	8′	\$940	\$1,135	\$1,335	\$1,530	\$1,730	\$1,925	\$2,125
Ė	9′	\$960	\$1,170	\$1,380	\$1,590	\$1,800	\$2,010	\$2,220
BC	10′	\$1,210	\$1,460	\$1,705	\$1,950	\$2,195	\$2,440	\$2,690
Щ	11′	\$1,255	\$1,520	\$1,780	\$2,045	\$2,310	\$2,575	\$2,840
Ö	12′	\$1,290	\$1,570	\$1,855	\$2,135	\$2,420	\$2,700	\$2,985
J	13′	\$1,555	\$1,860	\$2,180	\$2,495	\$2,815	\$3,130	\$3,450
	14′	\$1,565	\$1,885	\$2,220	\$2,555	\$2,890	\$3,230	\$3,565
VERT.	6′-10′	\$480	\$600	\$720	\$840	\$960	\$1,080	\$1,200
SIDES	11′-14′	\$720	\$900	\$1,080	\$1,260	\$1,440	\$1,620	\$1,800
V. WAI	INSCOTING	\$390	\$480	\$570	\$660	\$750	\$840	\$930
	HEIGHT		12′W	18′W	20'W	22	?'W	24′W
	6′		\$710	\$1,035	\$1,145	\$1,	,250	\$1,360
	7′		\$905	\$1,310	\$1,445	\$1,	,580	\$1,715
	8′		\$925	\$1,330	\$1,465	\$1,	,600	\$1,735
ONE r End	9′		\$945	\$1,350	\$1,485	\$1,	,620	\$1,755
E ONE Per End	10′		\$1,020	\$1,505	\$1,670	\$1,	,830	\$1,995
OSE (11′		\$1,070	\$1,555	\$1,715	\$1,	,880	\$2,040
J	12′		\$1,115	\$1,600	\$1,765	\$1,	,925	\$2,090
	13′		\$1,215	\$1,825	\$2,025	\$2,	,230	\$2,430
	14′		\$1,285	\$1,890	\$2,095	\$2,	,295	\$2,500
VERT. END	6'-10'		\$180	\$270	\$300	\$3	330	\$360
Per End	11′-14′		\$210	\$300	\$330	\$3	360	\$390
V. WAII	NSCOTING Per	End	\$270	\$360	\$390	\$4	120	\$450
			15 16					

EXTRA PANELS					
PRICE	*J-TRIM				
\$170	Add \$75				
\$195	Add \$90				
\$215	Add \$105				
\$240	Add \$120				
\$270	Add \$135				
\$300	Add \$150				
\$330	Add \$165				
	\$170 \$195 \$215 \$240 \$270 \$300				

* I Trim	nrico	covers	hoth	cidos	**Note	a continuo	ucnanal
"J-ITITTI	price	covers	DOIL	Sides	""IVOLC	<i>i</i> continuo	us panei

ROLL UP GARAGE DOORS					
Size	Non-Rated	**Wind-Rated			
6'x7'	\$600	N/A			
8'x8'	\$800	N/A			
9'x8'	\$850	N/A			
10'x8'	\$950	N/A			
10'x10'	\$1,200	N/A			
12'x12'	\$2,100	\$3,100			
*14'x14'	\$3,000	\$4,000			

^{**}Wind Rated Door Protects from blowouts.

WALK-IN DOORS - 36"X80" MHD:Right H. Outswing RD: Right H. Inswing					
Size	Non-Rated	Wind-Rated			
MOBILE HOME DOOR	\$400	\$550			
9 LIGHT STEEL DOOR	\$700*	N/A			

^{*}Special Order item. <u>ONLY</u> available to install on cement. Due to design, door is significantly louder than a standard roll up door.

Electric Garage Door Op	ener Kit
Per Door	\$950
Must be 10v10 or less	

WINDOWS White with Grid			
24"x36"	30"x36"		
\$200	\$220		

Not offered on Wind-locked models

GABLE ON END For Vertical Gable multiply price by 1.5, for Extended Gable multiply by 2.					
12′W	18′W	20′W	22′W	24′W	
\$240 EA.	\$350 EA.	\$385 EA.	\$420 EA.	\$455 EA.	

*Extended Gables have an additional 3' of coverage.

TRIMMED HALF PANELS 12' - 30' Kit made for both sides. Package price cannot be halved.							
20'L 25'L 30'L 35'L 40'L 45'L 50'L							
\$260	\$290	\$320	\$360	\$415	\$510	\$545	

CORNER KIT Must add Gable							
Legs 6' - 8'	Legs 9' - 12'	Legs 13' - 16'					
\$270	\$450	\$630					
2' wide max on each side. Must pair with aable.							

FRAME OUTS Use for framing of customer provided windows & doors						
WINDOW	WALK-IN DOOR					
\$85	\$105					

STANDARD HEADERS / LARGE OPENINGS UNITS 12' - 30'							
OPENINGS ONLY		OPENING WITH DOOR					
ON END 6'-16'	\$150	ON END 6'-12'	\$0				
ON SIDE 6'-12'	\$270	ON END 13'-14'	\$150				
ON SIDE 13'-16'	\$360	ON SIDE 6'-12'	\$150				
		ON SIDE 13'-14'	\$240				

^{*}Side must be 1' taller than desired door height. 14'x14' requires 2 foot taller

HORIZONTAL WAINSCOTING Not available on 6' tall buildings. Price is \$9/ft x Perimeter on buildings with 10' and 7' eaves.

EXTRA RAFTERS/ BOWS			5	12' - 24' W \$330 EA.	DOUBL	DOUBLE ADDITIONAL HEIGHT 6' standard incl. \$25 per foot up to 14' tall.					
SIDE CONNECTION FEES Per Side LEAN TO CONNECTION FEES On End							End				
20′L	25′L	30′ L	35′L	40′ L	45′ L	50′ L	_	12' - 22' Wide		24' Wid	le
\$120	\$140	\$160	\$180	\$200	\$220	\$240)	\$300		\$400	
INSULATION											
DOUBLE BUBBLE TYPE (MOISTURE BARRIER)						R5		\$1.85 SF			
2"FIBERGLASS						R7		\$2.75 SF			
ROOF: Add 2' to width and multiply by length. Ex. 24' wide x 26' long 26 x 26 = 676 SF x \$/per SF											
SIDES: Multiply leg height by length by 2. Ex. 26' long x 10' tall $10 \times 26 = 260 \times 2 = 520 \text{ sf x } \text{/per SF}$											

ENDS: Add 1.5 to leg height, multiply by building width. Ex. 24' wide x 10' tall $11.5 \times 24 = 276 \times 2 = 552 \text{ sf x } \text{/per SF}$

ADDITIONAL LABOR FEES	20' L	25′ L	30′ L	35′L	40′ L	45′ L	50′ L
BUILD OVER FEE	\$150	\$175	\$200	\$250	\$275	\$325	\$350
CUT LEGS ON SITE*	\$100	\$125	\$150	\$175	\$200	\$225	\$250

*Cut leg fee has a maximum of 12" adjustment possible, either front to back or side to side. Please note, side to side on level lots will result in gap underneath garage doors.

CONCRETE DIMENSIONS

All stated dimensions are in reference to the frame size, not the roof dimensions.

All cement pads require 2" wider on all sides. Ex. 20' wide x 30' long unit will need a 20'4" wide x 30'4" long pad.